

1986 - 1994 NHIS Chronic Condition Prevalence per 1000 Employed People 18 Yrs and Older
 Current Estimates Table 57: Adjusted for 9 Years, with Duplicate Chronic Conditions Removed

Prev Rate per 1000	Administrative support occs, including clerical		Executive, administrative managerial		Farming, forestry, fishing		Handlers, equipment cleaners, helpers, laborers		Machine operators, assemblers, inspectors		Precision production, craft, repair		Private household	
	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N
Absence of extremeties	5.6	66	7.7	81	21.0	48	9.0	26	9.6	51	13.4	116	1.6	1
Acne	25.0	289	15.6	165	14.1	26	17.2	44	15.6	75	12.7	101	19.0	10
Anemias	19.2	229	15.3	166	5.1	9	7.3	19	10.8	61	3.3	31	28.0	17
Aneurysm	0.2	3	0.4	5	0.9	3	0.0	0	1.0	3	0.5	5	0.0	0
Arthritis	95.5	1141	90.0	959	131.4	298	67.3	191	101.2	546	93.1	802	219.8	136
Asthma	40.4	456	39.6	401	36.0	75	27.7	78	32.9	171	28.1	243	42.5	21
Bladder infections	18.2	220	12.2	128	6.4	12	4.1	12	10.8	51	4.3	41	13.4	8
Bone spur/tendinitis NOS	12.0	146	13.0	138	9.3	22	8.9	25	13.4	69	11.6	98	12.8	8
Bunion	18.3	217	11.0	118	9.8	21	5.4	16	7.5	44	6.3	53	26.8	15
Bursitis, NEC	21.4	264	22.1	241	15.7	37	10.0	27	20.6	109	20.5	166	27.7	14
Cataracts, Glaucoma, Retina Diseases	13.6	168	16.5	173	24.7	55	12.0	31	11.3	64	11.2	94	32.8	22
Cerebrovascular disease	3.1	35	3.4	39	6.5	16	2.9	9	3.7	22	3.3	26	0.0	0
Chronic Bronchitis	53.1	605	43.2	431	29.8	60	30.7	78	46.6	247	32.5	271	48.2	23
Chronic disease of tonsils and adenoids	7.4	88	3.7	38	6.4	14	5.3	14	6.3	31	5.2	44	5.9	2

(Continued)

1986 - 1994 NHIS Chronic Condition Prevalence per 1000 Employed People 18 Yrs and Older
 Current Estimates Table 57: Adjusted for 9 Years, with Duplicate Chronic Conditions Removed

Prev Rate per 1000	Administrative support occs, including clerical		Executive, administrative managerial		Farming, forestry, fishing		Handlers, equipment cleaners, helpers, laborers		Machine operators, assemblers, inspectors		Precision production, craft, repair		Private household	
	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N
Chronic sinusitis	185.1	2119	163.0	1654	118.2	254	134.4	349	170.2	858	156.5	1310	166.8	82
Color Blindness	7.0	81	20.4	209	19.4	40	16.4	44	15.5	79	21.2	180	5.2	2
Constipation	16.7	203	11.5	111	6.9	15	4.3	15	11.2	61	6.5	47	30.3	15
Corns and calluses	26.7	313	22.0	233	21.5	48	17.1	49	25.5	136	19.5	156	44.9	28
Deformity of lower extremity	46.7	538	55.1	553	56.4	131	55.5	149	49.5	248	64.5	525	54.0	35
Deformity or impairment of back	94.9	1117	99.5	1031	101.5	223	98.4	261	87.6	439	103.6	866	107.1	63
Deformity or impairment of upper extremity	2.8	32	3.3	35	7.6	15	3.4	9	2.9	15	4.9	39	0.0	0
Dermatitis	44.9	517	42.3	434	19.9	43	21.1	53	27.0	136	26.6	219	60.7	32
Deviated nasal septum	7.8	86	14.1	138	4.1	9	3.9	10	5.7	29	5.7	46	2.2	1
Diabetes	19.4	236	21.8	229	28.8	62	16.1	47	20.6	107	14.0	126	38.6	21
Diseases of female organs	40.7	498	26.2	271	8.9	16	8.9	29	19.5	100	4.1	35	37.9	23
Diseases of prostate	2.1	24	9.4	91	12.3	27	4.3	13	5.1	26	8.1	63	0.0	0
Disorders of bone/cartilage	4.5	57	4.4	44	1.5	4	2.1	6	2.5	15	3.4	28	11.3	6
Diverticula of intestines	5.9	67	6.3	67	2.4	5	0.3	1	3.9	19	2.7	22	8.8	4

(Continued)

1986 - 1994 NHIS Chronic Condition Prevalence per 1000 Employed People 18 Yrs and Older
 Current Estimates Table 57: Adjusted for 9 Years, with Duplicate Chronic Conditions Removed

Prev Rate per 1000	Administrative support occs, including clerical		Executive, administrative managerial		Farming, forestry, fishing		Handlers, equipment cleaners, helpers, laborers		Machine operators, assemblers, inspectors		Precision production, craft, repair		Private household	
	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N
Dry (itching) skin NEC	22.0	251	24.2	250	12.1	26	14.6	35	18.7	96	17.8	146	30.0	20
Emphysema	2.2	27	3.4	33	9.8	21	2.2	7	4.1	23	4.8	40	2.5	2
Enteritis and colitis	12.4	137	11.5	119	3.6	9	5.7	16	7.2	39	4.9	42	5.4	3
Epilepsy	2.9	34	1.7	18	2.6	7	3.4	10	4.2	21	2.2	18	6.7	4
Gastritis and duodenditis	15.5	174	11.4	124	9.5	20	6.3	17	12.3	69	11.3	92	17.7	10
Goiter or other thyroid diseases	22.7	257	15.0	160	7.3	14	3.7	10	9.8	52	5.4	46	12.4	8
Gout-including gouty arthritis	3.1	41	10.0	105	14.0	31	10.9	27	7.2	41	12.1	107	10.1	7
Hardening of the arteries	2.2	29	5.0	50	4.2	10	2.5	6	1.9	9	4.4	37	3.5	2
Hay fever/allergic rhinitis w/o asthma	115.6	1307	141.8	1442	83.9	180	75.5	200	76.3	394	91.6	759	78.4	46
Hearing Impairments	58.2	671	83.6	856	124.8	275	75.8	206	89.4	459	106.4	907	77.4	45
Heart Disease	49.0	582	55.6	554	55.7	129	30.0	86	43.1	228	44.7	382	54.6	31
Heart rhythm disorder	30.8	361	29.6	299	21.1	47	14.6	39	22.4	116	19.2	167	27.6	15
Hemorrhoids	50.5	582	53.8	557	45.4	99	40.2	109	41.8	218	49.7	414	51.8	30

(Continued)

1986 - 1994 NHIS Chronic Condition Prevalence per 1000 Employed People 18 Yrs and Older
 Current Estimates Table 57: Adjusted for 9 Years, with Duplicate Chronic Conditions Removed

Prev Rate per 1000	Administrative support occs, including clerical		Executive, administrative managerial		Farming, forestry, fishing		Handlers, equipment cleaners, helpers, laborers		Machine operators, assemblers, inspectors		Precision production, craft, repair		Private household	
	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N
Hernia of abdominal cavity	12.1	143	18.1	191	18.0	42	9.2	26	16.4	85	17.2	144	12.9	7
High blood pressure (hypertension)	94.7	1138	109.6	1156	126.2	281	89.1	255	106.2	584	108.8	902	213.1	123
Indigestion	28.0	321	29.7	310	30.7	64	28.5	75	29.7	159	36.2	288	30.8	16
Ingrown nails	23.7	279	20.8	223	23.7	57	22.6	63	29.8	152	28.0	230	32.8	19
Intervertebral disc disorders	18.7	222	27.6	286	20.4	42	18.1	44	17.8	89	28.0	228	27.3	17
Kidney problems	12.4	147	14.0	145	10.7	23	11.7	33	16.9	80	9.8	79	19.7	12
Menstrual disorders	18.7	215	9.9	104	3.2	8	4.3	12	7.6	43	1.7	16	27.2	13
Migraine headache	69.4	808	51.3	544	20.0	42	29.1	82	40.3	219	27.8	235	75.9	41
Multiple sclerosis	0.8	10	1.0	10	0.0	0	0.7	1	0.5	3	0.0	0	0.0	0
Neuralgia/neuritis, unspecified	1.7	21	1.7	17	2.4	6	0.0	0	2.4	9	1.4	14	2.3	2
Other headache(excludes tension headache)	62.1	699	47.3	490	37.0	69	36.6	104	44.4	239	35.2	289	71.3	38
Other selected diseases of heart(excludes hypertension)	10.6	126	9.3	93	14.7	31	7.0	21	10.4	54	8.2	69	20.1	11

(Continued)

1986 - 1994 NHIS Chronic Condition Prevalence per 1000 Employed People 18 Yrs and Older
 Current Estimates Table 57: Adjusted for 9 Years, with Duplicate Chronic Conditions Removed

Prev Rate per 1000	Administrative support occs, including clerical		Executive, administrative managerial		Farming, forestry, fishing		Handlers, equipment cleaners, helpers, laborers		Machine operators, assemblers, inspectors		Precision production, craft, repair		Private household	
	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N
Paralysis, partial or complete	2.7	32	3.5	32	2.1	5	2.5	7	1.4	7	1.7	17	0.8	2
Phlebitis/thrombophlebitis	2.7	33	2.1	20	2.1	5	1.8	4	1.8	9	2.8	22	3.9	1
Psoriasis	10.2	114	14.6	147	8.7	19	9.3	25	7.1	35	11.8	92	6.7	3
Rheumatic fever w/ or w/o heart disease	10.1	120	8.0	84	4.1	10	2.7	7	6.0	32	4.5	38	3.5	2
Sebaceous skin cyst	6.3	73	7.0	73	7.2	15	4.8	14	5.7	28	6.8	57	12.6	7
Spastic colon	11.5	131	7.3	78	2.6	6	2.7	7	4.2	18	2.3	18	3.2	2
Speech impairments	2.1	26	4.0	38	8.8	18	10.2	27	9.5	49	7.6	59	7.5	5
Tinnitus	19.7	227	27.7	286	36.8	82	21.3	58	25.0	125	25.3	211	26.1	17
Ulcer	18.8	224	16.6	175	19.6	38	17.8	46	23.0	122	23.9	187	30.1	16
Varicose veins of lower extremities	38.1	445	24.6	251	21.6	52	16.2	46	28.2	150	14.0	123	84.0	44
Visual Impairment	21.7	255	39.0	388	41.0	88	34.6	89	32.2	166	39.0	331	26.0	13

(Continued)

1986 - 1994 NHIS Chronic Condition Prevalence per 1000 Employed People 18 Yrs and Older
 Current Estimates Table 57: Adjusted for 9 Years, with Duplicate Chronic Conditions Removed

Prev Rate per 1000	Professional specialty		Protective service		Sales		Service occs, except protective/household		Technicians/related support		Transportation/material moving	
	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N
	Absence of extremities	4.6	52	7.6	8	6.2	53	4.8	41	8.9	22	11.5
Acne	21.9	230	19.5	25	20.2	167	25.3	180	21.9	59	10.4	31
Anemias	15.8	174	13.2	18	9.3	80	17.8	144	16.3	49	3.0	12
Aneurysm	0.4	3	1.6	1	0.3	3	0.2	2	1.1	3	0.2	1
Arthritis	84.3	942	78.9	103	89.5	795	113.0	936	72.8	197	84.0	275
Asthma	43.4	467	31.1	40	35.6	302	39.1	312	44.8	111	29.5	96
Bladder infections	15.3	162	5.9	8	11.3	93	16.7	135	14.5	35	4.2	13
Bone spur/tendinitis NOS	13.3	144	6.4	10	11.2	106	9.5	78	11.3	28	8.4	29
Bunion	13.8	145	9.7	13	12.0	99	15.9	130	12.5	31	6.6	22
Bursitis, NEC	22.6	247	20.5	26	19.5	169	19.5	163	19.3	54	17.5	57
Cataracts, Glaucoma, Retina Diseases	15.8	172	6.3	8	15.5	134	13.9	116	10.1	30	15.7	44
Cerebrovascular disease	2.5	26	5.9	7	3.5	26	4.3	35	0.8	2	3.9	10
Chronic Bronchitis	52.3	547	39.4	49	40.2	347	50.3	404	54.0	139	38.0	121
Chronic disease of tonsils and adenoids	7.4	78	5.1	6	8.8	72	11.3	83	7.9	18	6.6	21

(Continued)

1986 - 1994 NHIS Chronic Condition Prevalence per 1000 Employed People 18 Yrs and Older
 Current Estimates Table 57: Adjusted for 9 Years, with Duplicate Chronic Conditions Removed

Prev Rate per 1000	Professional specialty		Protective service		Sales		Service occs, except protective/household		Technicians/related support		Transportation/material moving	
	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N
Chronic sinusitis	184.7	1910	144.7	182	162.1	1366	162.7	1296	167.9	435	145.6	464
Color Blindness	18.6	191	18.5	23	16.9	140	9.1	65	14.5	39	26.6	77
Constipation	12.9	139	6.5	9	11.7	103	19.8	154	14.5	40	9.3	33
Corns and calluses	25.3	268	22.2	30	19.9	182	25.5	219	19.1	51	15.8	48
Deformity of lower extremity	59.7	622	69.6	85	53.2	450	56.0	451	61.3	154	59.3	177
Deformity or impairment of back	105.8	1121	83.3	100	91.2	770	98.7	765	99.2	268	116.5	357
Deformity or impairment of upper extremity	3.2	36	8.3	10	2.8	22	3.7	27	4.8	11	3.3	10
Dermatitis	54.0	562	35.8	43	37.4	315	39.2	316	49.5	125	24.3	78
Deviated nasal septum	15.7	168	5.5	8	7.9	66	4.8	36	9.4	26	7.0	19
Diabetes	17.4	178	31.0	41	20.6	182	23.9	209	17.4	48	29.0	91
Diseases of female organs	36.4	399	7.6	8	24.7	214	37.1	301	36.3	98	6.2	19
Diseases of prostate	8.6	90	10.7	13	6.5	59	2.2	16	3.6	10	8.0	25
Disorders of bone/cartilage	4.4	45	3.8	6	4.7	35	3.3	28	4.5	11	3.6	13
Diverticula of intestines	5.7	64	6.7	9	6.0	54	4.2	34	4.3	11	1.6	6

(Continued)

1986 - 1994 NHIS Chronic Condition Prevalence per 1000 Employed People 18 Yrs and Older
 Current Estimates Table 57: Adjusted for 9 Years, with Duplicate Chronic Conditions Removed

Prev Rate per 1000	Professional specialty		Protective service		Sales		Service occs, except protective/household		Technicians/related support		Transportation/material moving	
	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N
	Dry (itching) skin NEC	25.6	281	25.7	36	19.8	172	18.3	143	24.8	61	14.1
Emphysema	1.9	21	1.4	2	3.4	31	3.3	27	2.9	8	6.9	20
Enteritis and colitis	12.0	130	8.8	9	10.3	82	10.2	85	12.5	33	7.6	21
Epilepsy	2.3	25	2.5	3	3.5	32	5.6	45	4.2	10	0.8	3
Gastritis and duodenditis	14.9	157	14.8	19	11.2	87	13.7	105	13.9	35	8.4	28
Goiter or other thyroid diseases	19.5	214	6.8	8	12.4	113	18.7	153	13.1	37	5.5	18
Gout-including gouty arthritis	6.9	74	12.9	18	7.8	67	4.8	44	7.1	15	12.6	45
Hardening of the arteries	2.9	33	4.0	6	2.9	25	3.0	26	3.2	7	4.2	13
Hay fever/allergic rhinitis w/o asthma	158.7	1672	126.1	158	116.9	977	97.6	799	143.9	368	85.7	272
Hearing Impairments	75.1	783	80.3	103	72.3	616	63.8	501	76.7	200	107.0	336
Heart Disease	55.4	583	63.3	79	47.9	411	52.9	411	51.6	144	49.0	147
Heart rhythm disorder	34.6	363	28.6	38	25.5	213	32.4	253	37.5	102	18.9	52
Hemorrhoids	54.2	600	54.9	71	49.3	406	44.9	354	50.5	127	56.1	177
Hernia of abdominal cavity	14.9	162	25.6	33	18.3	149	14.4	116	14.4	39	21.2	66

(Continued)

1986 - 1994 NHIS Chronic Condition Prevalence per 1000 Employed People 18 Yrs and Older
 Current Estimates Table 57: Adjusted for 9 Years, with Duplicate Chronic Conditions Removed

Prev Rate per 1000	Professional specialty		Protective service		Sales		Service occs, except protective/household		Technicians/related support		Transportation/material moving	
	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N
	High blood pressure (hypertension)	93.7	1032	128.8	165	99.1	848	111.1	935	86.7	243	122.1
Indigestion	25.0	262	32.0	44	29.4	244	25.8	211	28.6	82	31.8	104
Ingrown nails	22.2	239	27.6	36	27.5	230	27.4	221	27.5	68	31.3	98
Intervertebral disc disorders	22.4	233	28.9	35	23.3	187	15.5	128	19.9	54	31.9	103
Kidney problems	12.3	128	14.7	15	12.3	107	19.1	143	7.1	19	13.6	40
Menstrual disorders	10.6	116	2.0	2	10.0	89	15.4	124	7.1	22	2.5	11
Migraine headache	59.5	631	33.9	43	44.7	378	59.3	462	55.1	149	27.4	84
Multiple sclerosis	1.0	12	0.0	0	1.2	8	0.5	3	0.6	2	0.0	0
Neuralgia/neuritis, unspecified	3.7	38	0.0	0	2.0	17	2.1	17	0.8	2	0.3	1
Other headache(excludes tension headache)	40.9	435	38.8	48	44.2	377	54.8	439	48.8	130	34.0	107
Other selected diseases of heart(excludes hypertension)	10.5	109	13.5	17	9.9	88	10.7	81	6.6	20	9.7	31
Paralysis, partial or complete	2.8	27	1.0	2	2.3	19	2.7	21	3.3	9	2.3	8

(Continued)

1986 - 1994 NHIS Chronic Condition Prevalence per 1000 Employed People 18 Yrs and Older
 Current Estimates Table 57: Adjusted for 9 Years, with Duplicate Chronic Conditions Removed

Prev Rate per 1000	Professional specialty		Protective service		Sales		Service occs, except protective/household		Technicians/related support		Transportation/material moving	
	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N	Prev	N
Phlebitis/thrombophlebitis	2.3	25	1.1	2	2.4	22	4.1	35	1.3	4	0.8	3
Psoriasis	13.5	131	9.7	13	9.9	89	11.3	89	12.2	32	9.7	32
Rheumatic fever w/ or w/o heart disease	10.2	113	12.7	16	8.5	67	9.3	74	9.6	25	7.2	25
Sebaceous skin cyst	9.5	97	7.5	6	4.8	44	6.5	50	12.7	31	8.1	26
Spastic colon	11.8	124	2.1	3	7.8	61	8.2	60	9.2	25	3.6	12
Speech impairments	3.6	37	1.6	2	3.7	35	8.0	58	5.6	13	6.5	17
Tinnitus	28.2	293	25.3	34	24.9	216	20.4	168	24.8	65	30.9	93
Ulcer	15.0	162	21.4	27	17.7	146	21.4	179	18.8	48	20.2	70
Varicose veins of lower extremities	34.9	378	19.4	22	31.5	268	48.5	383	34.2	97	16.4	53
Visual Impairment	34.3	355	33.2	43	30.9	264	25.1	199	32.6	83	40.3	123